

Yes □ No □

LOSS CONTROL

windblown debris. In addition, support exposed piping if possible

WINDSTORM EMERGENCY CHECKLIST

Facility	Survey by	
Location	Date	
Be Prepared! When preparing for a possible winter storm or freeze, us the following precautions, before, during and after a stor as enhance the overall safety of the facility.		
The following checklist is intended to provide our customers with the general in weather exposures. The purpose of this form is to help protect lives, property, emergency operations back to normalcy.		
Pre-Storm Precautions		Check List
Miscellaneous		
Establish a Storm Emergency Team and an action plan. Employees should ur salvage, and restoration operations after the storm	nderstand their duties for facility protection, coordination of clean-up,	Yes 🗆 No 🗆
Establish an emergency repair program with utility contractors after loss of ele	ectric or gas power, telephone services, or public water supply	Yes □ No □
Develop a list of emergency phone numbers of weather forecasters and cont	ractors, and appoint someone to monitor daily weather reports	Yes □ No □
Update action plan annually		Yes □ No □
Be aware that excessive damage can also be done by hail and flooding (se	e Flood Emergency Checklist for additional precautions)	Yes □ No □
Buildings		
Close unnecessary openings and making windows and doors weather-tight		Yes □ No □
Check windows for broken panes and nail down loose window framing		Yes □ No □
Provide wind shutters or board up all windows and doors at first sign of adve	ancing storm	Yes □ No □
Close all windows on the windward side of a hurricane. During a hurricane, openings and pressurize the inside of a building. Closing these windows wil	strong winds blowing from a single direction can enter window I help hold the roof down	Yes 🗆 No 🗆
Open all windows on the side of the building away from a tornado's approxextremely low while the air pressure within nearby buildings is high. Opening		Yes 🗆 No 🗖
Inspect roof coverings. All loose coverings should be nailed down or covered	d with sandbags without blocking roof drains	Yes □ No □
Inspect roof's perimeter flashing. Nail down loose flashing sections. Replace on roof coverings if not all ready provided	rusted nails or anchor bolts where needed. Install perimeter flashing	Yes 🗆 No 🗆
Brace unsupported structural members with struts, cables or additional diagoboth sides at construction sites	nal bracing, and laterally support all non- reinforced block walls on	Yes 🗆 No 🗆
Secure work in progress, temporary storage, temporary office buildings, trail	ers, and scaffolding	Yes □ No □
Stock, Inventory, Miscellaneous Storage or Equipment		
Review inside storage arrangements and relocate all susceptible materials to	safe areas away from windows	Yes □ No □
Anchor loose yard storage or furniture that could be moved by excessive win	ids. If possible, relocate outside equipment or materials inside	Yes □ No □
Secure hoisting or loading equipment such as cranes and bulk cargo loaders	5	Yes □ No □
Anchor, brace or lash down combustible/flammable liquid tanks susceptible	to excessive winds	Yes □ No □
Bring outside combustible/flammable liquid drums or portable containers ins	ide or to a sheltered area	Yes □ No □
Cover computers and stock with tarpaulins and waterproof covers		Yes □ No □
Utilities		
Shut off all gas supplies before a windstorm strikes		Yes □ No □
Shut off electrical equipment in areas that might be flooded. If the entire facility is	exposed, shutoff building power at the main building disconnect switch	Yes □ No □
Shut off all electrical equipment before a storm at locations that rely on electr	icity to keep materials from solidifying (specifically molten metals)	Yes □ No □
Shut off all flammable and combustible liquid and gas lines at their source to	prevent the discharge of such materials from piping broken by	Van D. Na D

WINDSTORM EMERGENCY CHECKLIST - continued

Pre-Storm Precautions	Chec	k List
Establish a reserve fuel supply equal to the normal supply, or provide a safe alternate fuel source for sufficient duration	Yes □	No 🗆
Fill emergency generator or other backup power sources' fuel tanks	Yes □	No 🗆
Fire Protection Equipment/Domestic Plumbing		
Keep all fire protection systems operational during a windstorm. Install barriers around sprinkler risers and control valves to protect them from floating debris that could occur from flood waters	Yes □	No 🗖
Inspect and repair all fire protection equipment. Activate all systems as soon as possible. Use the Fire Protection Impairment Kit when shutting off fire protection systems for maintenance	Yes □	No 🗖
(The following precautions are needed in the event of flooding which occurred during a windstorm) (Also See Flood Emergency Checklist):		
Lubricate all sprinkler control valves and locks to reduce future rusting and ensure ease of operation	Yes □	No 🗆
Label location of outside sprinkler control valves and hydrants for easy visibility. Also, continue to conduct routine inspections of all sprinkler control valves	Yes □	No 🗖
Protect fire pump equipment or boilers in a flood prone area, with sandbags	Yes □	No 🗆
Review the location, and check the condition of hand operated domestic valves that have been installed to prevent the back flow through plumbing fixtures or drain sewers. Install valving if necessary	Yes □	No □
If water is expected to enter the facility despite all physical barriers, apply a coating of rust preventative compound to all equipment such as pumps, blowers and compressors that can't be physically relocated	Yes □	No 🗖
Develop an emergency contingency plan if the surrounding area is impassable	Yes □	No 🗆
Contact manufacturers and contractors of critical machinery to establish a contract for priority support with backups	Yes □	No 🗆
Ensure data processing software, files, records, etc. been properly backed up and transported off-site	Yes □	No 🗖
Contact TMSIC Claims for adjusting and related services	Yes □	No 🗖
Post-Storm Precautions		
Initiate salvage activities immediately, including:		
Secure site and assess the damage	Yes □	No □
Implement the action plan for the Storm Emergency Team	Yes □	No □
Institute the emergency repair program with utility contractors after loss of electric or gas power, telephone services, or public water supply	Yes □	No □
Return all fire protection systems to service as soon as possible	Yes □	No □
Looking for live down power lines	Yes □	No 🗖
Looking for leaking flammable liquid or gas transfer lines	Yes □	No □
Looking for structures in danger of collapse	Yes □	No 🗖
Separating damaged materials from undamaged materials	Yes □	No 🗖
Covering equipment and stock from further exposures	Yes □	No 🗖
Developing plans to secure facility against looters and trespassers	Yes □	No 🛮
Utilizing a "Hot Work" Permit System when necessary	Yes □	No 🗖
Eliminating ignition sources as much as possible	Yes 🗖	No 🛮
Instituting a fire watch until normal operations are resumed	Yes □	No □
Signed Dated Additional Comments		

800.873.4552

The information and suggestions presented by Philadelphia Indemnity Insurance Company in this e-brochure is for your consideration in your loss prevention efforts. They are not intended to be complete or definitive in identifying all hazards associated with your business, preventing workplace accidents, or complying with any safety related, or other, laws or regulations. You are encouraged to alter them to fit the specific hazards of your business and to have your legal counsel review all of your plans and company policies. © 2011 Philadelphia Insurance Companies



